

Woodlawn Preserve Plant List 17 June 2020

| SCIENTIFIC NAME | COMMON NAME | FAMILY |
|---|-------------------------|---------------|
| <i>Acer negundo</i> | BOX ELDER | Sapindaceae |
| <i>Acer platanoides</i> | NORWAY MAPLE | Sapindaceae |
| <i>Acer rubrum</i> | RED MAPLE | Sapindaceae |
| <i>Acer saccharinum</i> | SILVER MAPLE | Sapindaceae |
| <i>Achillea millefolium</i> | COMMON YARROW | Asteraceae |
| <i>Actaea spicata</i> ssp. <i>rubra</i> | RED BANEERRY | Ranunculaceae |
| <i>Agalinis tenuifolia</i> | GERARDIA | Orobanchaceae |
| <i>Ageratina altissima</i> | WHITE SNAKEROOT | Asteraceae |
| <i>Agrostis scabra</i> | HAIRGRASS | Poaceae |
| <i>Agrostis stolonifera</i> | CREEPING BENT | Poaceae |
| <i>Alisma subcordatum</i> | SOUTHERN WATER PLANTAIN | Alismataceae |
| <i>Alliaria petiolata</i> | GARLIC MUSTARD | Brassicaceae |
| <i>Alnus incana</i> ssp. <i>rugosa</i> | SPECKLED ALDER | Betulaceae |
| <i>Alnus serrulata</i> | SMOOTH ALDER | Betulaceae |
| <i>Ambrosia artemisiifolia</i> | RAGWEED | Asteraceae |
| <i>Amelanchier arborea</i> | SHADBUSH | Rosaceae |
| <i>Amelanchier stolonifera</i> | BUSH JUNEBERRY | Rosaceae |
| <i>Amphicarpaea bracteata</i> | HOG PEANUT | Fabaceae |
| <i>Anaphalis margaritacea</i> | PEARLY EVERLASTING | Asteraceae |
| <i>Anchistea virginica</i> | VIRGINIA CHAIN FERN | Blechnaceae |
| <i>Andropogon gerardii</i> | BIG BLUESTEM | Poaceae |
| <i>Anemone canadensis</i> | CANADA ANEMONE | Ranunculaceae |
| <i>Anemone virginiana</i> | THIMBLEWEED | Ranunculaceae |
| <i>Antennaria neglecta</i> | FIELD PUSSYTOES | Asteraceae |
| <i>Anthoxanthum odoratum</i> | SWEET VERNAL GRASS | Poaceae |
| <i>Apios americana</i> | WILD BEAN | Fabaceae |
| <i>Apocynum androsaemifolium</i> | SPREADING DOGBANE | Apocynaceae |
| <i>Aquilegia canadensis</i> | WILD COLUMBINE | Ranunculaceae |
| <i>Aralia nudicaulis</i> | WILD SARSAPARILLA | Araliaceae |

| | | |
|---|-----------------------------|-----------------|
| <i>Arenaria serpyllifolia</i> | THYME-LEAVED SANDWORT | Caryophyllaceae |
| <i>Arisaema triphyllum</i> var. <i>triphyllum</i> | JACK-IN-THE-PULPIT | Araceae |
| <i>Aronia melanocarpa</i> | BLACK CHOKEBERRY | Rosaceae |
| <i>Artemisia vulgaris</i> | COMMON MUGWORT | Asteraceae |
| <i>Asclepias amplexicaulis</i> | BLUNT-LEAVED MILKWEED | Apocynaceae |
| <i>Asclepias incarnata</i> | SWAMP MILKWEED | Apocynaceae |
| <i>Asclepias syriaca</i> | COMMON MILKWEED | Apocynaceae |
| <i>Asclepias tuberosa</i> | BUTTERFLY WEED | Apocynaceae |
| <i>Asparagus officinalis</i> | ASPARAGUS | Asparagaceae |
| <i>Athyrium angustum</i> | LADY FERN | Athyriaceae |
| <i>Baptisia tinctoria</i> | WILD INDIGO | Fabaceae |
| <i>Barbarea vulgaris</i> | CRESS | Brassicaceae |
| <i>Bartonia virginica</i> | SCREW-STEM | Gentianaceae |
| <i>Berberis thunbergii</i> | JAPANESE BARBERRY | Berberidaceae |
| <i>Berteroia incana</i> | HOARY ALYSSUM | Brassicaceae |
| <i>Betula alleghaniensis</i> | YELLOW BIRCH | Betulaceae |
| <i>Betula papyrifera</i> | PAPER BIRCH | Betulaceae |
| <i>Betula populifolia</i> | GRAY BIRCH | Betulaceae |
| <i>Bidens cernua</i> | NODDING BEGGAR TICKS | Asteraceae |
| <i>Bidens connata</i> | PURPLE-STEMMED BEGGAR TICKS | Asteraceae |
| <i>Bidens frondosa</i> | DEVIL'S BEGGAR TICKS | Asteraceae |
| <i>Boehmeria cylindrica</i> | FALSE NETTLE | Urticaceae |
| <i>Borodinia laevigata</i> | SMOOTH ROCK CRESS | Brassicaceae |
| <i>Bromus inermus</i> | SMOOTH BROME GRASS | Poaceae |
| <i>Bromus tectorum</i> | DOWNY CHESS | Poaceae |
| <i>Bulbostylis capillaris</i> | TUFTED HAIR SEDGE | Cyperaceae |
| <i>Calamagrostis canadensis</i> | BLUEJOINT GRASS | Poaceae |
| <i>Caltha palustris</i> | MARSH MARIGOLD | Ranunculaceae |
| <i>Cardamine hirsuta</i> | HAIRY BITTERCRESS | Brassicaceae |
| <i>Cardamine pensylvanica</i> | PENNSYLVANIA BITTERCRESS | Brassicaceae |

| | | |
|---|------------------------------|------------|
| <i>Carex ?scoparia</i> | POINTED BROOM SEDGE | Cyperaceae |
| <i>Carex blanda*</i> | COMMON WOODLAND SEDGE | Cyperaceae |
| <i>Carex bromoides</i> ssp. <i>bromoides</i> | BROME-LIKE SEDGE | Cyperaceae |
| <i>Carex bushii</i> | BUSH'S SEDGE | Cyperaceae |
| <i>Carex canescens</i> ssp. <i>canescens</i> | TYPICAL HOARY SEDGE | Cyperaceae |
| <i>Carex comosa</i> | BRISTLY SEDGE | Cyperaceae |
| <i>Carex conoidea</i> | FIELD SEDGE | Cyperaceae |
| <i>Carex crinita</i> | COMMON FRINGED SEDGE | Cyperaceae |
| <i>Carex cristatella</i> | CRESTED SEDGE | Cyperaceae |
| <i>Carex digitalis</i> var. <i>digitalis</i> | SLENDER WOODLAND SEDGE | Cyperaceae |
| <i>Carex festucacea</i> | FESCUE SEDGE | Cyperaceae |
| <i>Carex gracillima</i> | GRACEFUL SEDGE | Cyperaceae |
| <i>Carex granularis</i> | LIMESTONE MEADOW SEDGE | Cyperaceae |
| <i>Carex grayii</i> | GRAY'S SEDGE | Cyperaceae |
| <i>Carex gynandra</i> | NODDING SEDGE | Cyperaceae |
| <i>Carex hirsutella</i> | SMOOTH-FRUITED HIRSUTE SEDGE | Cyperaceae |
| <i>Carex hystricina</i> | PORCUPINE SEDGE | Cyperaceae |
| <i>Carex intumescens</i> | BLADDER SEDGE | Cyperaceae |
| <i>Carex laxiflora</i> | LOOSE-FLOWERED SEDGE | Cyperaceae |
| <i>Carex lucorum</i> | LONG-BEAKED CARPET SEDGE | Cyperaceae |
| <i>Carex lupulina</i> | HOP SEDGE | Cyperaceae |
| <i>Carex lurida</i> | SALLOW SEDGE | Cyperaceae |
| <i>Carex pensylvanica</i> | PENNSYLVANIA SEDGE | Cyperaceae |
| <i>Carex projecta</i> | NECKLACE SEDGE | Cyperaceae |
| <i>Carex pseudocyperus</i> | CYPERUS-LIKE SEDGE | Cyperaceae |
| <i>Carex rosea</i> | COMMON UPLAND STAR SEDGE | Cyperaceae |
| <i>Carex squarrosa</i> | SQUARROSE SEDGE | Cyperaceae |

| | | |
|---|---------------------------|------------------|
| <i>Carex stipata</i> var. <i>stipata</i> | AWL-FRUITED SEDGE | Cyperaceae |
| <i>Carex stricta</i> | TUSSOCK SEDGE | Cyperaceae |
| <i>Carex swanii</i> | SWAN'S SEDGE | Cyperaceae |
| <i>Carex tenera</i> | SLENDER SEDGE | Cyperaceae |
| <i>Carex trisperma</i> | THREE-FRUITED SEDGE | Cyperaceae |
| <i>Carex vulpinoidea</i> | FOX SEDGE | Cyperaceae |
| <i>Carpinus caroliniana</i> | HORNBEAM | Betulaceae |
| <i>Carya ovata</i> | SHAGBARK HICKORY | Juglandaceae |
| <i>Castanea dentata</i> | AMERICAN CHESTNUT | Fagaceae |
| <i>Catalpa speciosa</i> | CATALPA TREE | Bignoniaceae |
| <i>Ceanothus americanus</i> | NEW JERSEY TEA | Rhamnaceae |
| <i>Celastrus orbiculatus</i> | ORIENTAL BITTERSWEET | Celastraceae |
| <i>Cenchrus longispinus</i> | FIELD SANDBUR | Poaceae |
| <i>Centaurea stoebe</i> ssp. <i>micranthos</i> | SPOTTED KNAPWEED | Asteraceae |
| <i>Cephalanthus occidentalis</i> | BUTTONBUSH | Rubiaceae |
| <i>Cerastium arvense</i> | FIELD CHICKWEED | Ceratophyllaceae |
| <i>Cerastium fontanum</i> | MOUSE-EAR | Ceratophyllaceae |
| <i>Ceratophyllum demersum</i> | COONTAIL | Ceratophyllaceae |
| <i>Chamaedaphne calyculata</i> | LEATHERLEAF | Ericaceae |
| <i>Chelidonium majus</i> | GREATER CELANDINE | Papaveraceae |
| <i>Chelone glabra</i> | TURTLE HEADS | Plantaginaceae |
| <i>Chimaphila umbellata</i> | PIPSISSEWA | Ericaceae |
| <i>Chrysosplenium americanum</i> | GOLDEN CARPET | Saxifragaceae |
| <i>Cichorium intybus</i> | CHICORY | Asteraceae |
| <i>Cicuta maculata</i> var. <i>maculata</i> | SPOTTED WATER HEMLOCK | Apiaceae |
| <i>Cinna arundinacea</i> | STOUT WOODREED | Poaceae |
| <i>Circaeа canadensis</i> | ENCHANTER'S NIGHTSHADE | Onagraceae |
| <i>Cirsium ?vulgare</i> | BULL THISTLE | Asteraceae |
| <i>Coleataenia rigidula</i> ssp. <i>rigidula</i> | RED-TOPPED PANIC GRASS | Poaceae |

| | | |
|---|--------------------------------|------------------|
| <i>Collinsonia canadensis</i> | RICHWEED | Lamiaceae |
| <i>Comandra umbellata</i> | BASTARD TOADFLAX | Santalaceae |
| <i>Comptonia peregrina</i> | SWEET FERN | Myricaceae |
| <i>Conyza canadensis</i> | HORSEWEED | Asteraceae |
| <i>Coptis trifolia</i> | GOLDTHREAD | Ranunculaceae |
| <i>Corallorrhiza odontorhiza</i> var. <i>odontorhiza</i> | AUTUMN CORALROOT | Orchidaceae |
| <i>Cornus amomum</i> | SILKY DOGWOOD | Cornaceae |
| <i>Cornus canadensis</i> | BUNCHBERRY | Cornaceae |
| <i>Cornus foemina</i> ssp. <i>racemosa</i> | GRAY DOGWOOD | Cornaceae |
| <i>Cornus sericea</i> | RED OSIER DOGWOOD | Cornaceae |
| <i>Corylus americana</i> | HAZELNUT | Betulaceae |
| <i>Cuscuta gronovii</i> | COMMON DODDER | Cuscutaceae |
| <i>Cycloloma atriplicifolia</i> | WINGED PIGWEED | Chenopodiaceae |
| <i>Cyperus bipartitus</i> | SHINING FLAT SEDGE | Cyperaceae |
| <i>Cyperus lupulinus</i> ssp. <i>macilentus</i> | EASTERN FLAT SEDGE | Cyperaceae |
| <i>Cyperus schweinitzii</i> | SCHWEINITZ'S FLAT SEDGE | Cyperaceae |
| <i>Cyperus strigosus</i> | FALSE YELLOW FLAT SEDGE | Cyperaceae |
| <i>Cypripedium acaule</i> | PINK LADY'S LIPPER | Orchidaceae |
| <i>Dactylis glomerata</i> | ORCHARD GRASS | Poaceae |
| <i>Daucus carota</i> | QUEEN ANNE'S LACE | Apiaceae |
| <i>Dendrolycopodium obscurum</i> | FLAT-BRANCHED TREE CLUBMOSS | Lycopodiaceae |
| <i>Dennstaedtia punctilobula</i> | HAY-SCENTED FERN | Dennstaedtiaceae |
| <i>Desmodium ?perplexum</i> | CONFUSING TICK TREFOIL | Fabaceae |
| <i>Desmodium canadense</i> | SHOWY TICK TREFOIL | Fabaceae |
| <i>Dianthus armeria</i> | DEPTFORD PINK | Caryophyllaceae |
| <i>Dichanthelium acuminatum</i> var. <i>faciculatum</i> | SLENDER-STEMMED PANIC GRASS | Poaceae |

| | | |
|---|--|------------------|
| <i>Dichanthelium clandestinum</i> | DEER-TONGUE ROSETTE GRASS | Poaceae |
| <i>Dichanthelium columbianum</i> | DISTRICT OF COLUMBIA ROSETTE GRASS | Poaceae |
| <i>Dichanthelium dichotomum ssp. dichotomum</i> | FORKED ROSETTE GRASS | Poaceae |
| <i>Dichanthelium sphaerocarpon</i> | ROUND-FRUITED ROSETTE GRASS | Poaceae |
| <i>Diervilla lonicera</i> | BUSH HONEYSUCKLE | Caprifoliaceae |
| <i>Digitaria cognata</i> | FALL WITCH GRASS | Poaceae |
| <i>Digitaria ischaemum</i> | SMOOTH CRAB GRASS | Poaceae |
| <i>Digitaria sanguinalis</i> | NORTHERN CRAB GRASS | Poaceae |
| <i>Diphasiastrum digitatum</i> | SOUTHERN GROUND CEDAR | Lycopodiaceae |
| <i>Doellingeria umbellata var. umbellata</i> | TALL FLAT-TOPPED WHITE ASTER | Asteraceae |
| <i>Drosera rotundifolia</i> | ROUND-LEAVED SUNDEW | Rosaceae |
| <i>Dryopteris carthusiana</i> | SPINULOSE WOOD FERN | Dryopteridaceae |
| <i>Dryopteris cristata</i> | CRESTED WOOD FERN | Dryopteridaceae |
| <i>Dryopteris intermedia</i> | INTERMEDIATE WOOD FERN | Dryopteridaceae |
| <i>Echinochloa crus-galli</i> | EURASIAN BARNYARD GRASS | Poaceae |
| <i>Echinochloa muricata var. muricata</i> | LONG-AWNED AMERICAN BARNYARD GRASS | Poaceae |
| <i>Echinocystis lobata</i> | PRICKLY CUCUMBER | Cucurbitaceae |
| <i>Eclipta prostrata</i> | FALSE DAISY | Asteraceae |
| <i>Eleocharis acicularis</i> | SLENDER SPIKE RUSH | Cyperaceae |
| <i>Eleocharis obtusa</i> | BLUNT SPIKE RUSH | Cyperaceae |
| <i>Eleusine indica</i> | GOOSEGRASS | Poaceae |
| <i>Elodea nuttallii</i> | NUTTALL'S WATERWEED | Hydrocharitaceae |
| <i>Elscholtzia ciliata</i> | CRESTED LATE-SUMMER MINT | Lamiaceae |
| <i>Elymus repens</i> | QUACK GRASS | Poaceae |

| | | |
|--|------------------------------|---------------|
| <i>Epilobium ciliatum</i> | FRINGED WILLOWHERB | Onagraceae |
| <i>Epilobium coloratum</i> | EASTERN WILLOWHERB | Onagraceae |
| <i>Epipactis helleborine</i> | HELLEBORINE | Orchidaceae |
| <i>Equisetum arvense</i> | FIELD HORSETAIL | Equisetaceae |
| <i>Equisetum hyemale</i> var. affine | SCOURING RUSH | Equisetaceae |
| <i>Equisetum variegatum</i> | VARIEGATED HORSETAIL | Equisetaceae |
| <i>Eragrostis pectinacea</i> var. <i>pecinacea</i> | TUFTED LOVE GRASS | Poaceae |
| <i>Eragrostis spectabilis</i> | PURPLE LOVE GRASS | Poaceae |
| <i>Erechtites hieracifolia</i> var. <i>hieracifolia</i> | AMERICAN FIREWEED | Asteraceae |
| <i>Erigeron annuus</i> | ANNUAL DAISY FLEABANE | Asteraceae |
| <i>Erigeron philadelphicus</i> | PHILADELPHIA FLEABANE | Asteraceae |
| <i>Erigeron pulchellus</i> | ROBIN'S-PLANTAIN | Asteraceae |
| <i>Erigeron strigosus</i> | SMALL DAISY FLEABANE | Asteraceae |
| <i>Erysimum cheiranthoides</i> | WORMSEED MUSTARD | Brassicaceae |
| <i>Eupatorium altissimum</i> | TALL THOROUGHWORT | Asteraceae |
| <i>Eupatorium perfoliatum</i> | BONESET | Asteraceae |
| <i>Euphorbia cyparissias</i> | CYPRESS SPURGE | Euphorbiaceae |
| <i>Euphorbia nutans</i> | UPRIGHT SPURGE | Euphorbiaceae |
| <i>Euphorbia vermiculata</i> | HAIRY SPURGE | Euphorbiaceae |
| <i>Eurybia divaricata</i> | WHITE WOOD ASTER | Asteraceae |
| <i>Euthamia graminifolia</i> | BUSH GOLDENROD | Asteraceae |
| <i>Eutrochium fistulosum</i> | HOLLOW JOE-PYE-WEED | Asteraceae |
| <i>Fagus grandifolia</i> | AMERICAN BEECH | Fagaceae |
| <i>Fallopia scandens</i> | CLIMBING FALSE- BUCKWHEAT | Polygonaceae |
| <i>Festuca subverticillata</i> | NODDING FESCUE | Poaceae |
| <i>Fimbristylis autumnalis</i> | FIMBRY | Cyperaceae |
| <i>Fragaria virginiana</i> ssp. <i>virginiana</i> | VIRGINIA STRAWBERRY | Rosaceae |
| <i>Fraxinus americana</i> | WHITE ASH | Oleaceae |
| <i>Fraxinus pensylvanica</i> | GREEN ASH | Oleaceae |
| <i>Galium album</i> | WHITE BEDSTRAW | Rubiaceae |

| | | |
|---|---------------------------------|----------------|
| <i>Galium aparine</i> | BEDSTRAW | Rubiaceae |
| <i>Galium palustre</i> | MARSH BEDSTRAW | Rubiaceae |
| <i>Galium tinctorium</i> | SOUTHERN THREE-PETALED BEDSTRAW | Rubiaceae |
| <i>Galium triflorum</i> | SWEET-SCENTED BEDSTRAW | Rubiaceae |
| <i>Gaultheria procumbens</i> | WINTERGREEN | Ericaceae |
| <i>Gaylussacia baccata</i> | BLACK HUCKLEBERRY | Ericaceae |
| <i>Gentianopsis crinita</i> | FRINGED GENTIAN | Gentianaceae |
| <i>Geranium maculatum</i> | WILD GERANIUM | Geraniaceae |
| <i>Geum canadense</i> | WHITE AVENS | Rosaceae |
| <i>Glecoma hederacea</i> | GROUND-IVY | Lamiaceae |
| <i>Glyceria striata</i> | FOWL MANNAGRASS | Poaceae |
| <i>Hamamelis virginiana</i> | WITCH HAZEL | Hamamelidaceae |
| <i>Helianthus decapetalus</i> | THIN-LEAVED SUNFLOWER | Asteraceae |
| <i>Helianthus strumosus</i> | ROUGH SUNFLOWER | Asteraceae |
| <i>Hemerocallis fulva</i> | ORANGE DAYLILY | Asphodelaceae |
| <i>Hesperis matronalis</i> | DAME'S ROCKET | Brassicaceae |
| <i>Holcus lanatus</i> | VELVET GRASS | Poaceae |
| <i>Hypericum canadense</i> | CANADIAN ST. JOHN'S WORT | Hypericaceae |
| <i>Hypericum fraseri</i> | FRASER'S MARSH ST. JOHN'S WORT | Hypericaceae |
| <i>Hypericum perforatum</i> ssp. <i>perforatum</i> | COMMON ST. JOHN'S WORT | Hypericaceae |
| <i>Hypericum punctatum</i> | SPOTTED ST. JOHN'S-WORT | Hypericaceae |
| <i>Hypericum virginicum</i> | VIRGINIA ST. JOHN'S WORT | Hypericaceae |
| <i>Ilex mucronata</i> | MOUNTAIN HOLLY | Aquifoliaceae |
| <i>Ilex verticillata</i> | WINTERBERRY | Aquifoliaceae |
| <i>Impatiens capensis</i> | SPOTTED JEWELWEED | Balsaminaceae |
| <i>Impatiens pallida</i> | PALE JEWELWEED | Balsaminaceae |
| <i>Iris pseudacorus</i> | YELLOW IRIS | Iridaceae |
| <i>Iris versicolor</i> | BLUE FLAG | Iridaceae |
| <i>Juncus acuminatus</i> | SHARP-FRUITED RUSH | Juncaceae |

| | | |
|---|------------------------------|----------------|
| <i>Juncus articulatus</i> | JOINTED RUSH | Juncaceae |
| <i>Juncus brevicaudatus</i> | NARROW-PANICLED RUSH | Juncaceae |
| <i>Juncus bufonius</i> | TOAD RUSH | Juncaceae |
| <i>Juncus canadensis</i> | CANADA RUSH | Juncaceae |
| <i>Juncus dudleyi</i> | DUDLEY'S RUSH | Juncaceae |
| <i>Juncus effusus</i> var. <i>solutus</i> | COMMON RUSH | Juncaceae |
| <i>Juncus marginatus</i> | COMMON GRASS-LEAVED RUSH | Juncaceae |
| <i>Juncus tenuis</i> | PATH RUSH | Juncaceae |
| <i>Juniperus virginiana</i> | EASTERN RED CEDAR | Cupressaceae |
| <i>Kalmia angustifolia</i> | SHEEP LAUREL | Ericaceae |
| <i>Lactuca biennis</i> | WILD LETTUCE | Asteraceae |
| <i>Lamium purpureum</i> | RED DEADNETTLE | Lamiaceae |
| <i>Leersia oryzoides</i> | RICE CUT GRASS | Poaceae |
| <i>Lemna minor</i> | COMMON DUCK WEED | Lemnaceae |
| <i>Leonurus cardiaca</i> | MOTHERWORT | Lamiaceae |
| <i>Lepidium virginicum</i> ssp. <i>virginicum</i> | WILD PEPPERGRASS | Brassicaceae |
| <i>Lespedeza capitata</i> | ROUND-HEADED BUSH CLOVER | Fabaceae |
| <i>Leucanthemum vulgare</i> | OXEYE DAISY | Asteraceae |
| <i>Linaria canadensis</i> | OLD FIELD TOADFLAX | Plantaginaceae |
| <i>Linaria vulgaris</i> | BUTTER-AND-EGGS | Plantaginaceae |
| <i>Lindera benzoin</i> | SPICEBUSH | Lauraceae |
| <i>Lindernia dubia</i> var. <i>anagallidea</i> | LONG-STALKED FALSE-PIMPERNEL | Linderniaceae |
| <i>Liparis loesellii</i> | BOG TWAYBLADE | Orchidaceae |
| <i>Lobelia inflata</i> | INDIAN TOBACCO | Campanulaceae |
| <i>Lobelia spicata</i> var. <i>spicata</i> | COMMON SPIKED LOBELIA | Campanulaceae |
| <i>Lonicera dioica</i> | WILD HONEYSUCKLE | Caprifoliaceae |
| <i>Lonicera maackii</i> | AMUR HONEYSUCKLE | Caprifoliaceae |
| <i>Lonicera morrowi</i> | MORROW'S HONEYSUCKLE | Caprifoliaceae |

| | | |
|---|-------------------------------|----------------|
| <i>Lonicera tatarica</i> | TARTARIAN HONEYSUCKLE | Caprifoliaceae |
| <i>Lonicera x bella</i> | PRETTY HONEYSUCKLE | Caprifoliaceae |
| <i>Lotus corniculatus</i> | COMMON BIRD'S FOOT TREFOIL | Fabaceae |
| <i>Ludwigia alternifolia</i> | ALTERNATE-LEAVED SEEDBOX | Onagraceae |
| <i>Ludwigia palustris</i> | WATER PURSLANE | Onagraceae |
| <i>Lupinus perennis</i> | WILD LUPINE | Fabaceae |
| <i>Luzula multiflora</i> ssp. <i>multiflora</i> | COMMON WOOD RUSH | Juncaceae |
| <i>Lycopus americanus</i> | AMERICAN WATER HOREHOUND | Lamiaceae |
| <i>Lycopus uniflorus</i> | NORTHERN WATER HOREHOUND | Lamiaceae |
| <i>Lyonia ligustrina</i> var. <i>ligustrina</i> | MALEBERRY | Ericaceae |
| <i>Lysimachia borealis</i> | STARFLOWER | Primulaceae |
| <i>Lysimachia ciliata</i> | FRINGED LOOSESTRIFE | Primulaceae |
| <i>Lysimachia quadrifolia</i> | WHORLED LOOSESTRIFE | Primulaceae |
| <i>Lythrum salicaria</i> | PURPLE LOOSESTRIFE | Lythraceae |
| <i>Maianthemum canadense</i> | CANADA MAYFLOWER | Ruscaceae |
| <i>Maianthemum racemosum</i> ssp. <i>racemosum</i> | FALSE SOLOMON'S SEAL | Ruscaceae |
| <i>Maianthemum stellatum</i> | STARRY SOLOMON'S SEAL | Ruscaceae |
| <i>Malus pumila</i> | CULTIVATED APPLE | Rosaceae |
| <i>Matteuccia struthiopteris</i> | OSTRICH FERN | Onocleaceae |
| <i>Medeola virginiana</i> | INDIAN CUCUMBER ROOT | Liliaceae |
| <i>Medicago lupulina</i> | BLACK MEDICK | Fabaceae |
| <i>Medicago sativa</i> | ALFALFA | Fabaceae |
| <i>Melilotus alba</i> | WHITE SWEET CLOVER | Fabaceae |
| <i>Mentha arvensis</i> | FIELD MINT | Lamiaceae |

| | | |
|---|---------------------------------|---------------|
| <i>Mimulus ringens</i> | ALLEGHENY MONKEY FLOWER | Phrymaceae |
| <i>Mirabilis nyctaginea</i> | HEART-LEAVED UMBRELLA WORT | Nyctaginaceae |
| <i>Mitchella repens</i> | PARTRIDGE BERRY | Rubiaceae |
| <i>Mitella diphylla</i> | MITREWORT | Saxifragaceae |
| <i>Monarda didyma</i> | BEE BALM | Lamiaceae |
| <i>Monarda fistulosa</i> | WILD BERGAMOT | Lamiaceae |
| <i>Monarda punctata</i> var. <i>villicaulis</i> | DOTTED HORSEMINT | Lamiaceae |
| <i>Morus alba</i> | WHITE MULBERRY | Moraceae |
| <i>Muhlenbergia sobolifera</i> | ROCK MUHLY | Poaceae |
| <i>Myosotis laxa</i> | SMALLER FORGET-ME-NOT | Boraginaceae |
| <i>Myosotis scirpoides</i> | WATER FORGET-ME-NOT | Boraginaceae |
| <i>Myosotis verna</i> | SPRING FORGET-ME-NOT | Boraginaceae |
| <i>Nyssa sylvatica</i> | BLACK GUM | Nyssaceae |
| <i>Oclemena acuminata</i> | WHORLED WOOD ASTER | Asteraceae |
| <i>Oenothera biennis</i> | COMMON EVENING PRIMROSE | Onagraceae |
| <i>Oenothera parviflora</i> | SMALL-FLOWERED EVENING PRIMROSE | Onagraceae |
| <i>Oenothera perennis</i> | SMALL SUNDROPS | Onagraceae |
| <i>Onoclea sensibilis</i> | SENSITIVE FERN | Onocleaceae |
| <i>Orobanche uniflora</i> | ONE-FLOWERED CANCERROOT | Orobanchaceae |
| <i>Osmunda claytonii</i> | INTERRUPTED FERN | Osmundaceae |
| <i>Osmunda regalis</i> | ROYAL FERN | Osmundaceae |
| <i>Osmundastrum cinnamomea</i> | CINNAMON FERN | Osmundaceae |
| <i>Oxalis stricta</i> | COMMON YELLOW WOOD SORREL | Oxalidaceae |
| <i>Packera aurea</i> | GOLDEN RAGWORT | Asteraceae |
| <i>Panax trifolius</i> | DWARF GINSENG | Araliaceae |
| <i>Panicum capillare</i> ssp. <i>capillare</i> | COMMON WITCH GRASS | Poaceae |

| | | |
|---|-----------------------------|----------------|
| <i>Panicum dichotomiflorum</i> ssp. <i>dichotomiflorum</i> * | SMOOTH PANIC GRASS | Poaceae |
| <i>Panicum virgatum</i> | SWITCH GRASS | Poaceae |
| <i>Parthenocissus inserta</i> | WOODBINE | Vitaceae |
| <i>Parthenocissus quinquefolius</i> | VIRGINIA CREEPER | Vitaceae |
| <i>Penstemon digitalis</i> | FOXGLOVE BEARDTONGUE | Plantaginaceae |
| <i>Penthorum sedoides</i> | DITCH STONECROP | Crassulaceae |
| <i>Persicaria amphibia</i> ssp. <i>laevimarginata</i> | AMERICAN WATER SMARTWEED | Polygonaceae |
| <i>Persicaria hydropiper</i> | COMMON SMARTWEED | Polygonaceae |
| <i>Persicaria lapathifolium</i> | DOCK-LEAVED SMARTWEED | Polygonaceae |
| <i>Persicaria maculosa</i> | LADY'S THUMB | Polygonaceae |
| <i>Persicaria pensylvanica</i> | PENNSYLVANIA SMARTWEED | Polygonaceae |
| <i>Persicaria punctata</i> | DOTTED SMARTWEED | Polygonaceae |
| <i>Persicaria sagittata</i> | ARROW-LEAVED TEARTHUMB | Polygonaceae |
| <i>Persicaria virginiana</i> | JUMPSEED | Polygonaceae |
| <i>Phalaris arundinacea</i> | REED CANARY GRASS | Poaceae |
| <i>Phleum pratense</i> | TIMOTHY | Poaceae |
| <i>Phragmites australis</i> | OLD WORLD PHRAGMITES | Poaceae |
| <i>Phytolacca americana</i> var. <i>americana</i> | POKEWEED | Phytolaccaceae |
| <i>Pilea fontana</i> | BLACK-FRUITED CLEARWEED | Urticaceae |
| <i>Pilosella caespitosa</i> | YELLOW HAWKWEED | Asteraceae |
| <i>Pilosella piloselloides</i> | GLAUCOUS-LEAVED HAWKWEED | Asteraceae |
| <i>Pinus rigida</i> | PITCH PINE | Pinaceae |
| <i>Pinus strobus</i> | WHITE PINE | Pinaceae |
| <i>Pinus sylvestris</i> | SCOTCH PINE | Pinaceae |
| <i>Plantago lanceolata</i> | ENGLISH PLANTAIN | Plantaginaceae |

| | | |
|---|--------------------------------|------------------|
| <i>Plantago major</i> | COMMON PLANTAIN | Plantaginaceae |
| <i>Plantago rugelii</i> | RUGEL'S PLANTAIN | Plantaginaceae |
| <i>Poa alsodes</i> | GROVE BLUE GRASS | Poaceae |
| <i>Poa compressa</i> | CANADA BLUEGRASS | Poaceae |
| <i>Poa pratensis</i> ssp. <i>pratensis</i> | COMMON KENTUCKY BLUEGRASS | Poaceae |
| <i>Podophyllum peltatum</i> | MAY APPLE | Berberidaceae |
| <i>Polygala verticillata</i> | WHORLED MILKWORT | Polygalaceae |
| <i>Polygonum articulatum</i> | NORTHERN JOINTWEED | Polygonaceae |
| <i>Polystichum acrostichoides</i> | CHRISTMAS FERN | Dryopteridaceae |
| <i>Populus deltoides</i> | COTTONWOOD | Salicaceae |
| <i>Populus grandidentata</i> | BIG-TOOTHED ASPEN | Salicaceae |
| <i>Populus tremuloides</i> | QUAKING ASPEN | Salicaceae |
| <i>Potamogeton crispus</i> | CURLY PONDWEED | Potamogetonaceae |
| <i>Potentilla argentea</i> | SILVERY CINQUEFOIL | Rosaceae |
| <i>Potentilla canadensis</i> | DWARF CINQUEFOIL | Rosaceae |
| <i>Potentilla norvegica</i> | ROUGH CINQUEFOIL | Rosaceae |
| <i>Potentilla recta</i> | SULFUR CINQUEFOIL | Rosaceae |
| <i>Potentilla simplex</i> | COMMON CINQUEFOIL | Rosaceae |
| <i>Prunella vulgaris</i> ssp. <i>lanceolata</i> | AMERICAN SELFHEAL | Lamiaceae |
| <i>Prunus pensylvanica</i> | PIN CHERRY | Rosaceae |
| <i>Prunus serotina</i> var. <i>serotina</i> | BLACK CHERRY | Rosaceae |
| <i>Pseudognaphalium obtusifolium</i> | FRAGRANT RABBIT TOBACCO | Asteraceae |
| <i>Pteridium aquilinum</i> var. <i>latiusculum</i> | EASTERN BRACKEN FERN | Pteridaceae |
| <i>Pycnanthemum tenuifolium</i> | NARROW-LEAVED MOUNTAIN MINT | Lamiaceae |
| <i>Pyrola elliptica</i> | COMMON SHINLEAF | Ericaceae |
| <i>Quercus alba</i> | WHITE OAK | Fagaceae |
| <i>Quercus bicolor</i> | SWAMP WHITE OAK | Fagaceae |
| <i>Quercus coccinea</i> | SCARLET OAK | Fagaceae |
| <i>Quercus ilicifolia</i> | SCRUB OAK | Fagaceae |
| <i>Quercus montana</i> | CHESTNUT OAK | Fagaceae |

| | | |
|--|-------------------------|---------------|
| <i>Quercus prinoides</i> | DWARF CHESTNUT OAK | Fagaceae |
| <i>Quercus rubra</i> | RED OAK | Fagaceae |
| <i>Quercus velutina</i> | BLACK OAK | Fagaceae |
| <i>Ranunculus abortivus</i> | KIDNEY-LEAVED CROWFOOT | Ranunculaceae |
| <i>Reynoutria japonica</i> | JAPANESE KNOTWEED | Polygonaceae |
| <i>Rhamnus cathartica</i> | COMMON BUCKTHORN | Rhamnaceae |
| <i>Rhododendron periclymenoides</i> | PINKSTER FLOWER | Ericaceae |
| <i>Rhus copallina</i> var. <i>copallina</i> | COMMON SHINING SUMAC | Anacardiaceae |
| <i>Rhus glabra</i> | SMOOTH SUMAC | Anacardiaceae |
| <i>Rhus typhina</i> | STAGHORN SUMAC | Anacardiaceae |
| <i>Rhynchospora capitellata</i> | BROWNISH BEAK SEDGE | Cyperaceae |
| <i>Robinia pseudoacacia</i> | BLACK LOCUST | Fabaceae |
| <i>Rorippa palustris</i> ssp. <i>palustris</i> | MARSH YELLOW CRESS | Brassicaceae |
| <i>Rosa carolina</i> ssp. <i>carolina</i> | EASTERN PASTURE ROSE | Rosaceae |
| <i>Rosa multiflora</i> | MULTIFLORA ROSE | Rosaceae |
| <i>Rubus allegheniensis</i> | COMMON BLACKBERRY | Rosaceae |
| <i>Rubus flagellaris</i> | NORTHERN DEWBERRY | Rosaceae |
| <i>Rubus idaeus</i> | RED RASPBERRY | Rosaceae |
| <i>Rubus pensylvanicus</i> | PENNSYLVANIA BLACKBERRY | Rosaceae |
| <i>Rubus pubescens</i> | DWARF RASPBERRY | Rosaceae |
| <i>Rudbeckia hirta</i> | BLACK-EYED-SUSAN | Asteraceae |
| <i>Rumex acetosella</i> ssp. <i>pyrenaicus</i> | SHEEP SORREL | Polygonaceae |
| <i>Rumex crispus</i> | CURLY DOCK | Polygonaceae |
| <i>Salix alba</i> | WHITE WILLOW | Salicaceae |
| <i>Salix babylonica</i> | WEEPING WILLOW | Salicaceae |
| <i>Salix bebbiana</i> | BEBB'S WILLOW | Salicaceae |
| <i>Salix discolor</i> | PUSSY WILLOW | Salicaceae |
| <i>Salix eriocephala</i> | HEART-LEAVED WILLOW | Salicaceae |
| <i>Salix matsudana</i> | CORKSCREW WILLOW | Salicaceae |
| <i>Salix nigra</i> | BLACK WILLOW | Salicaceae |

| | | |
|---|-------------------------------|-----------------|
| <i>Sambucus nigra</i> ssp. <i>canadensis</i> | BLACK ELDERBERRY | Caprifoliaceae |
| <i>Saponaria officinalis</i> | BOUNCING BET | Caryophyllaceae |
| <i>Sassafras albidum</i> | SASSAFRAS | Lauraceae |
| <i>Schedonorus arundinacea</i> | TALL RYE GRASS | Poaceae |
| <i>Schedonorus pratensis</i> | MEADOW RYE GRASS | Poaceae |
| <i>Schizachyrium scoparium</i> var. <i>scoparium</i> | LITTLE BLUE-STEM | Poaceae |
| <i>Schoenoplectus tabernaemontani</i> | SOFT-STEMMED BULRUSH | Cyperaceae |
| <i>Scirpus atrovirens</i> | DARK GREEN BULRUSH | Cyperaceae |
| <i>Scirpus cyperinus</i> | COMMON WOOLGRASS | Cyperaceae |
| <i>Scirpus microcarpus</i> | BARBER POLE BULRUSH | Cyperaceae |
| <i>Scirpus pendulus</i> | PENDULOUS BULRUSH | Cyperaceae |
| <i>Scleranthus annuus</i> ssp. <i>annuus</i> | KNAWEL | Caryophyllaceae |
| <i>Scutellaria lateriflora</i> | MAD DOG SKULLCAP | Lamiaceae |
| <i>Sedum acre</i> | BITING STONECROP | Crassulaceae |
| <i>Setaria pumila</i> ssp. <i>pumila</i> | YELLOW FOXTAIL | Poaceae |
| <i>Setaria viridis</i> var. <i>viridis</i> | GREEN FOXTAIL | Poaceae |
| <i>Silene antirrhina</i> | SLEEPY CATCHFLY | Caryophyllaceae |
| <i>Silene latifolia</i> | WHITE CAMPION | Caryophyllaceae |
| <i>Sisyrinchium angustifolium</i> | NARROW-LEAVED BLUE-EYED GRASS | Iridaceae |
| <i>Sisyrinchium montanum</i> | MOUNTAIN BLUE-EYED GRASS | Iridaceae |
| <i>Sium suave</i> | HEMLOCK WATER PARSNIP | Apiaceae |
| <i>Smilax herbacea</i> | COMMON CARRION FLOWER | Smilacaceae |
| <i>Solanum dulcamara</i> | CLIMBING NIGHTSHADE | Solanaceae |
| <i>Solidago altissima</i> ssp. <i>altissima</i> | TALL GOLDENROD | Asteraceae |
| <i>Solidago bicolor</i> | SILVERROD | Asteraceae |

| | | |
|--|-------------------------------------|-----------------|
| <i>Solidago caesia</i> | BLUE-STEMMED GOLDENROD | Asteraceae |
| <i>Solidago canadensis</i> var. <i>canadensis</i> | CANADA GOLDENROD | Asteraceae |
| <i>Solidago gigantea</i> | SWAMP GOLDENROD | Asteraceae |
| <i>Solidago juncea</i> | EARLY GOLDENROD | Asteraceae |
| <i>Solidago nemoralis</i> | GRAY GOLDENROD | Asteraceae |
| <i>Solidago patula</i> | ROUGH-LEAVED GOLDENROD | Asteraceae |
| <i>Solidago rugosa</i> | COMMON WRINKLE- LEAVED GOLDENROD | Asteraceae |
| <i>Spiraea alba</i> var. <i>latifolia</i> | BROAD-LEAVED MEADOW SWEET | Rosaceae |
| <i>Spiraea tomentosa</i> | STEEPLEBUSH | Rosaceae |
| <i>Spiranthes ochroleuca</i> | YELLOW LADIES' TRESSES | Orchidaceae |
| <i>Sporobolus cryptandrus</i> | SAND DROPSEED | Poaceae |
| <i>Sporobolus vaginiflorus</i> var. <i>vaginiflorus</i> | POVERTY DROPSEED | Poaceae |
| <i>Stellaria graminea</i> | GRASS-LEAVED STITCHWORT | Caryophyllaceae |
| <i>Symphyotrichum</i> <i>cordifolium</i> | HEART-LEAVED ASTER | Asteraceae |
| <i>Symphyotrichum</i> <i>ericoides</i> var. <i>ericoides</i> | HEATH ASTER | Asteraceae |
| <i>Symphyotrichum</i> <i>lanceolatum</i> var. <i>lanceolatum</i> | LANCE-LEAVED ASTER | Asteraceae |
| <i>Symphyotrichum</i> <i>lateriflorum</i> | CALICO ASTER | Asteraceae |
| <i>Symphyotrichum</i> <i>novae-</i> <i>angliae</i> | NEW ENGLAND ASTER | Asteraceae |
| <i>Symphyotrichum</i> <i>pilosum</i> var <i>pringlei</i> | PRINGLE'S ASTER | Asteraceae |
| <i>Symphyotrichum</i> <i>puniceum</i> | PURPLE-STEMMED ASTER | Asteraceae |
| <i>Symphyotrichum</i> <i>undulatum</i> | WAVY-LEAVED ASTER | Asteraceae |

| | | |
|---|-----------------------------|------------------|
| <i>Symplocarpus foetidus</i> | SKUNK CABBAGE | Araceae |
| <i>Taraxacum officinale</i> | COMMON DANDELION | Asteraceae |
| <i>Thalictrum dioicum</i> | EARLY MEADOW RUE | Ranunculaceae |
| <i>Thalictrum pubescens</i> | TALL MEADOW RUE | Ranunculaceae |
| <i>Thelypteris noveboracensis</i> | NEW YORK FERN | Thelypteridaceae |
| <i>Thelypteris palustris</i> var. <i>pubescens</i> | MARSH FERN | Thelypteridaceae |
| <i>Thymus pulegioides</i> | WILD THYME | Lamiaceae |
| <i>Tiarella cordifolia</i> | FOAMFLOWER | Saxifragaceae |
| <i>Tilia americana</i> var. <i>americana</i> | AMERICAN BASSWOOD | Tiliaceae |
| <i>Toxicodendron radicans</i> ssp. <i>radicans</i> | EASTERN POISON IVY | Anacardiaceae |
| <i>Tradescantia ohioensis</i> | OHIO SPIDERWORT | Commelinaceae |
| <i>Tragopogon pratensis</i> | MEADOW SALSIFY | Asteraceae |
| <i>Trapa natans</i> | WATER CHESTNUT | Trapaceae |
| <i>Trichostemma dichotomum</i> | COMMON BLUE CURLS | Lamiaceae |
| <i>Trifolium arvense</i> | RABBIT FOOT CLOVER | Fabaceae |
| <i>Trifolium aureum</i> | LARGE HOP CLOVER | Fabaceae |
| <i>Trifolium hybridum</i> | ALSIKE CLOVER | Fabaceae |
| <i>Trifolium pratense</i> | RED CLOVER | Fabaceae |
| <i>Trifolium repens</i> | WHITE CLOVER | Fabaceae |
| <i>Trillium erectum</i> | RED TRILLIUM | Melanthiaceae |
| <i>Tsuga canadensis</i> | EASTERN HEMLOCK | Pinaceae |
| <i>Turritis glabra</i> | TOWER MUSTARD | Brassicaceae |
| <i>Typha angustifolia</i> | NARROW-LEAVED CATTAIL | Typhaceae |
| <i>Typha latifolia</i> | WIDE-LEAVED CATTAIL | Typhaceae |
| <i>Ulmus americana</i> | AMERICAN ELM | Ulmaceae |
| <i>Ulmus pumila</i> | SIBERIAN ELM | Ulmaceae |
| <i>Uvularia sessilifolia</i> | WILD OATS | Colchicaceae |
| <i>Vaccinium angustifolium</i> | COMMON LOWBUSH BLUEBERRY | Ericaceae |
| <i>Vaccinium corymbosum</i> | Highbush blueberry | Ericaceae |
| <i>Vaccinium pallidum</i> | HILLSIDE BLUEBERRY | Ericaceae |

| | | |
|--|-----------------------------------|------------------|
| <i>Valeriana officinalis</i> | GARDEN VALERIAN | Valerianaceae |
| <i>Veratrum viride</i> | FALSE HELLEBORE | Melanthiaceae |
| <i>Verbascum thapsus</i> | COMMON MULLEIN | Scrophulariaceae |
| <i>Verbena hastata</i> | BLUE VERVAIN | Verbenaceae |
| <i>Verbena urticifolia</i> | WHITE VERVAIN | Verbenaceae |
| <i>Veronica serpyllifolia</i> ssp. <i>serpyllifolia</i> | COMMON THYME- LEAVED SPEEDWELL | Plantaginaceae |
| <i>Viburnum acerifolium</i> | MAPLE-LEAVED VIBURNUM | Caprifoliaceae |
| <i>Viburnum dentatum</i> var. <i>lucidum</i> | SMOOTH ARROWWOOD | Caprifoliaceae |
| <i>Viburnum lentago</i> | NANNYBERRY | Caprifoliaceae |
| <i>Viburnum nudum</i> var. <i>cassinoides</i> | NORTHERN WILD RAISIN | Caprifoliaceae |
| <i>Vicia cracca</i> | COW VETCH | Fabaceae |
| <i>Viola cucullata</i> | BLUE MARSH VIOLET | Violaceae |
| <i>Viola lanceolata</i> | LANCE-LEAVED VIOLET | Violaceae |
| <i>Viola pubescens</i> var. <i>pubescens</i> | DOWNY YELLOW- STEMMED VIOLET | Violaceae |
| <i>Viola sagittata</i> var. <i>ovata</i> | NORTHERN DOWNY VIOLET | Violaceae |
| <i>Viola sororia</i> | COMMON BLUE VIOLET | Violaceae |
| <i>Vitis aestivalis</i> | SUMMER GRAPE | Vitaceae |
| <i>Vitis riparia</i> | RIVERBANK GRAPE | Vitaceae |
| <i>Xanthium strumarium</i> var. <i>canadense</i> | CANADA COCKLEBUR | Asteraceae |
| <i>Zanthoxylum americanum</i> | PRICKLY ASH | Rutaceae |
| <i>Zizia aurea</i> | COMMON GOLDEN ALEXANDERS | Apiaceae |